

ARMCHEM INTERNATIONAL

SAFETY DATA SHEET

1. Identification

Product Identifier: ARMACHEM CLING THICKENED BOWL CLEANER

Application or recommended use: Disinfectant Toilet Bowl Cleaner

Restrictions on use: Do not use in any fashion not specified on the product label.

Manufacturer / supplier: Armchem International

3563 N.W. 53rd Ct.

Ft. Lauderdale, FL 33309 USA

Telephone: 888-276-2436 **Emergency phone:** 800-832-8992 **National Poison Center:** 800-222-1222

2. Hazards Identification

GHS Classification: Classification of this mixture in accordance with paragraph (d) of §1910.1200.

Skin Corrosion/Irritation - Category 1B

Eye Damage/Irritation - Category 1

Corrosive to Metals - 1

Label Elements:



Symbol:

Signal word:

DANGER

Hazard statements:

Causes severe skin burns and serious eye damage.

May be corrosive to metals.

Precautionary statements: Do not breathe mist/vapors/spray.

Wash hands, face and any skin contact thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original container.

Absorb spillage to prevent material damage.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

See 4. First-Aid Measures for specific treatment.

Store locked up in corrosive resistant container.

Dispose of contents/container to an approved disposal facility.

Other Hazards: None known

3. Composition / Information on Ingredients

Chemical characterization: Hydrochloric acid solution, blended with detergents, germicides and auxiliary agents.

Hazardous ingredients:

9.5 - 10% Hydrochloric Acid (Muriatic Acid)

CAS 7647-01-0, EINECS/ELINCS 231-595-7

0.9 - 2.5% Ethanol, 2,2'-iminobis-,n-soya alkyl derivs.,

CAS 73246-96-5, EINECS/ELINCS Not Available

Other ingredients (> 1%):

> 85% Water

CAS 7732-18-5, EINECS/ELINCS 231-791-2

4. First-Aid Measures

Symptoms: Causes irritation or burning sensation. Causes severe skin burns and serious eye damage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Skin Contact: Remove contaminated clothing and wash before reuse. Wash contaminated area with soap and water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth to an unconscious person. If respiratory irritation, dizziness, or unconsciousness occurs, seek immediate medical assistance.

4. First-Aid Measures (cont.)

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to a person who is unconscious or convulsing. If vomiting occurs, keep head below hips to reduce risk of aspiration. Probable mucosal damage may contraindicate the use of gastric lavage.

Note to Physician: Treat exposed patients symptomatically.

5. Fire-Fighting Measures

Suitable Extinguishing Media: Not applicable. Product is not a fire hazard.

Unsuitable Extinguishing Media: High pressure water jet.

Specific hazards in case of fire: Hydrogen chloride gas may be generated at high temperatures.

Special Fire Fighting Precautions: Prevent human exposure to fire, smoke, fumes or products of combustion. Fire fighters should wear appropriate protective equipment, including self-contained breathing apparatus and impervious clothing.

6. Accidental Release Measures

Emergency Procedures: Depending on the extent of release, consider the need for emergency responders with adequate personal protective equipment for clean-up, need for evacuation or restriction to access of spill area.

Personal Precautions: Provide adequate ventilation. Do not eat, drink or smoke during clean up. If necessary, use self-contained respirator, or filtered mask. Wear protective clothing, eye protection and impervious gloves (e.g. neoprene). Wash thoroughly after clean up.

Environmental Precautions: Prevent spills from entering storm sewers/drains or contact with soil.

Clean up Methods: Small spills may be wiped up and rinsed with water. For larger spills, neutralize with sodium carbonate or absorb on inert material (e.g. sand). Pick up absorbent and dispose of at an appropriate waste disposal facility.

7. Handling and Storage

Precautions for Safe Handling: Never use with chlorine products. Can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave area. Do not return for half hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Do not use on any surface that can be damaged by acid materials. Do not breathe mist/vapors. Wash hands, face and any skin contact thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, protective clothing, eye protection, face protection. Use only according to label directions. If unsure about safe use, contact your supervisor. Provide adequate ventilation in use.

Conditions for Safe Storage: Keep out of reach of children. Do not contaminate water, food or feed by storage and disposal. Store locked up in tightly closed, original, corrosive resistant container in a cool (10° - 30°C), dry, well-ventilated area.

Incompatibility: Chlorine bleach, alkali.

8. Exposure Controls / Personal Protection

Components with occupational exposure limits:

Component	Reference	TWA	PEL
Hydrochloric Acid	ACGIH	2 ppm (C)	
	OSHA		5 ppm (C)

Engineering Controls: Proper ventilation in accordance with good industrial hygiene should be provided.

Personal Protective Equipment

Respiratory: Respiratory protection is not necessary under normal conditions of use. If necessary to prevent exposure above occupational limits, use an approved cartridge style respirator.

Gloves: Use water impervious gloves (latex or neoprene rubber). No breakthrough time has been established.

Eye Protection: Chemical resistant goggles and face protection.

Other: Protective clothing (long sleeves, pants), eyewash, safety shower are always advisable when working with chemicals.

9. Physical and Chemical Properties

Physical State -	Liquid	Auto-ignition temperature -	Not applicable
Color -	Green	Flash Point -	None
Odor -	Floral, acidic	Flammability -	Not applicable
Odor Threshold -	No data available	Flammability Limits -	Not applicable
Boiling Point -	212°F	Partition coefficient -	Not applicable
Decomposition temperature -	No data available	Solubility (Water) -	Complete
Freezing Point -	0°F	Vapor Density -	No data available
pH (Neat) -	< 1	Vapor Pressure -	No data available
Relative Density -	1.045	Viscosity -	Slightly viscous
Evaporation Rate -	Similar to water	% VOC -	< 0.5 (Excluding LVP material)

10. Stability and Reactivity

Reactivity: No specific reactivity test data is available. Under normal conditions of storage and use, hazardous reactions are not expected. **Incompatible materials:** Mixing with bleach, alkali, or oxidizers may generate toxic gases.

Chemical stability: This product is stable at ambient temperatures and pressures.

Conditions to avoid: Temperatures above 50°C or below 10°C.

Hazardous decomposition products: Hydrogen chloride

11. Toxicological Information

Acute Toxicity: Toxicity data is not available for this mixture. Data below are estimates based on summation methods.

Test	Results	Classification (A.0.4.1(c))	Basis (A.1.3.6.1)
Oral	> 2000mg/kg	Not applicable	Ingredient literature (Additive formula)
Dermal	> 2000mg/kg	Not applicable	Ingredient literature (Additive formula)
Inhalation	> 20 mg/L	Not applicable	Ingredient literature (Additive formula)
Eye Damage/Irritation	Corrosion	Category 1	Ingredient literature
Skin Damage/Irritation	Corrosion	Category 1B	Ingredient literature

Summary: Skin and eye contact are most likely routes of exposure. Exposure causes skin burns and serious eye damage.

Subchronic/Chronic Toxicity:

Test	Results	Classification	Basis
Skin Sensitization	Not a sensitizer	Not applicable	Ingredient literature.

Summary: Repeated or prolonged contact causes skin burns and eye damage.

Carcinogens - Ingredients are not listed on the NTP Report on Carcinogens, *IARC Monographs or by OSHA

*IARC does list "strong inorganic acid mists" as carcinogenic, but under normal conditions, no exposure to acid mists occurs. Acid solutions are not listed.

Other data - No other toxicological information is available for this mixture.

12. Ecological Information

This material has not been tested for acute environmental effects.

Persistence and degradability: Material is not persistent. All organic components > 1% are readily biodegradable.

Bio-accumulative potential: No evidence to suggest bio-accumulation will occur.

Mobility: Accidental spillage may lead to penetration of soil and groundwater. However, due to degradability, no evidence suggests this would cause adverse ecological effects. Material will lower pH of affected area.

13. Disposal Considerations

RCRA Class - D002. Do not contaminate water, food or feed by disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray, or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill. If container is one gallon or less, wrap empty container in plastic bag and discard in trash.

14. Transport Information

Proper Shipping Name: UN1789 Hydrochloric acid solution **RQ** - 5000 Lbs. (Hydrochloric Acid)

Shipping emergency phone: 800-424-9300

Transport hazard class: 8 **Hazard Label:** Corrosive (When shipped as a Limited Quantity, labeling is not required.)

Packing Group: II **Emergency Guide No.:** 154 **Marine Pollutant:** No

15. Regulatory Information

Inventory status: All components are listed on TSCA(US), EINECS/ELINCS(EU), DSL(Canada), AICS(Australia), ENCS(Japan).

FIFRA: This product is a U.S. EPA Registered pesticide, EPA Reg. No. 8155-6-72860, and is subject to certain labeling requirements under Federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide products. The hazard information required on the pesticide label is reproduced here.

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Do not breathe vapor or fumes. Do not get in eyes, on skin or on clothing. Wear protective eyewear (safety goggles or face shield), protective clothing and rubber gloves when handling. Use with adequate ventilation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

15. Regulatory Information (cont.)

Chemical Hazards: Never use with chlorine products. Can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave area. Do not return for half an hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Clean up any spills or drips immediately. Do not use on any surface that can be damaged by acidic materials. Many surfaces are not resistant to acid. **Do not use on PVD finished surfaces.** The pesticide label also includes other important information, including directions for use.

OSHA Hazard Communication Standard: This product meets the §1910.1200 definition of a "Hazardous Chemical".

Superfund Amendments and Reauthorization Act of 1986 Title III (EPCRA) Sections 311 and 312

Immediate (Acute) Health Hazard	Yes	Delayed (Chronic) Health Hazard	No
Fire Hazard	No	Reactive Hazard	No
Sudden Release of Pressure Hazard	No		

Superfund Amendments and Reauthorization Act of 1986 Title III (EPCRA) Section 313

*Chemicals marked with an asterisk in "**3. Composition/Information on Ingredients**" are subject to reporting requirements for Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40CFR Part 372.

Pennsylvania/New Jersey/Massachusetts Right to Know

See "**3. Composition/Information on Ingredients**" for hazardous and top five ingredients over 1%.

California Proposition 65: This product does not contain a listed substance known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

16. Other information

Date issued: 31. 12. 2014

F302-001 Revision: N/A

Disclaimer: No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material. **Prepared by:** R&D